

Form – IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or : operator of facility)	:	DR. DEBEN DAS, SUPERINTENDENT
	(ii) Name of HCF or CBMWTF	:	CHC - BANSPAL
	(iii) Address for Correspondence	:	BANSPAL, KEONJHAR.
	(iv) Address of Facility	:	BANSPAL
	(v) Tel. No, Fax. No	:	7847061358
	(vi) E-mail ID	:	bpmu.banspal1@gmail.com
	(vii) URL of Website	:	chcbanspal.keonjhar.in
	(viii) GPS coordinates of HCF or CBMWTF	:	21.6063° N 85.4156 E
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other)
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.: 1817 - IND - IV - BW - 942 Valid upto:
	(xi). Status of Consents under Water Act and Air Act	:	Valid upto: 31.03.2027
2	Type of Health Care Facility	:	CHC
	(i) Bedded Hospital	:	No. of Beds: 16
	(ii) Non-bedded hospital	:	-
	Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	
	(iii) License number and its date of expiry	:	
3	Details of CBMWTF	:	M/S MEDIAID MARKETING.
	(i) Number of health care facilities covered by CBMWTF	:	01
	(ii) No. of Beds covered by CBMWTF	:	16
	(iii) Installed treatment and disposal capacity of CBMWTF;	:	_____ Kg / day
	(iv) Quantity of bio medical waste treated or disposed by CBMWTF	:	_____ Kg / day
4	Quantity of waste generated or disposed in Kg per Annum (on monthly average basis)	:	Yellow Category: 752.4 KG Red Category: 932.3 KG White: 504.12 KG Blue Category: 1025 KG. General Solid Waste: 3802.3 KG.
5	Details of the Storage, Treatment, Transportation, Processing and Disposal Facility		
	(i) Details of the on-site storage	:	Size: 6 X 6 = 36 Sq.ft.

facility		Capacity: 100KG Provision of on-site storage : (Cold storage or any other provision) NO COLD STORAGE				
(ii) Disposal facilities		Type of treatment equipment	No of Units	Capacity Kg/day	Quantity Treated or disposed in kg per annum	
		Incinerators				
		Plasma Pyrolysis				
		Autoclaves	02	50KG		
		Microwave				
		Hydroclave				
		Shredder	N/F			
		Needle tip cutter or destroyer	04	5KG.		
		Sharps				
		Encapsulation or concrete pit	01	05KG.		
		Deep burial pits	03	05KG.		
		Chemical disinfection:	03	03 KG		
		Any other treatment equipment:	01	04KG.		
		(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum		Red Category (like plastic, glass, etc.) HANDLED OVER TO OUT-SOURCING AGENCY.		
(iv) No. of Vehicles used for collection and transportation of biomedical waste		01				
(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		Quantity Generated	Where disposed			
	Incineration					
	Ash					
		ETP Sludge				
(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of		M/s. MEDIAID MARKETING.				
(vii) List of member HCF not handed over bio-medical waste.						
6 Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		YES, 04 MEETING HELD DURING THE YEAR 2023-24.				


7	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW Management		YES
	(ii) Number of personnel trained		50 Nos.
	(iii) Number of personnel trained at the time of induction		50 Nos.
	(iv) Number of personnel not undergone any training so far		0
	(v) Whether standard manual for training is available?		YES
8	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		Nil
	(ii) Number of persons affected		Nil
	(iii) Remedial Action taken (Please attach details if any)		No
	(iv) Any Fatality occurred, details		No
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		-
	Details of Continuous online emission monitoring systems installed		-
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		0
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		0
12	Any other relevant information		(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from

01-01-2023 to 31-12-2023 OF CHC BANSPAL

SUBMITTED AS PER BMW REGISTER OF CHC BANSPAL.

Name and Signature of the Head of the Institution


Superintendent
C.H.C. Banskpal
Keonjhar

Date: 30.01.2024

Place: CHC - BANSPAL.